Package 'ragtop'

October 14, 2022

```
Type Package
```

Title Pricing Equity Derivatives with Extensions of Black-Scholes

Version 1.1.1

Date 2020-02-29

Author Brian K. Boonstra

Maintainer Brian K. Boonstra <ragtop@boonstra.org>

Description Algorithms to price American and European equity options, convertible bonds and a variety of other financial derivatives. It uses an extension of the usual Black-Scholes model in which jump to default may occur at a probability specified by a power-law link between stock price and hazard rate as found in the paper by Takahashi, Kobayashi, and Nakagawa (2001) <doi:10.3905/jfi.2001.319302>. We use ideas and techniques from Andersen and Buffum (2002) <doi:10.2139/ssrn.355308> and Linetsky (2006) <doi:10.1111/j.1467-9965.2006.00271.x>.

Depends limSolve (>= 1.5.5.1), futile.logger (>= 1.4.1), R (>= 2.10), methods (>= 3.2.2)

Suggests testthat, roxygen2, knitr, rmarkdown, reshape2, stringr, ggplot2, MASS, RColorBrewer, BondValuation, R.cache, Quandl

License GPL (>= 2)

Encoding UTF-8

LazyData TRUE

VignetteBuilder knitr

RoxygenNote 7.0.2

NeedsCompilation no

Repository CRAN

Date/Publication 2020-03-03 09:00:02 UTC

R topics documented:

accelerated_coupon_value	3
adjust_for_dividends	
american	
AmericanOption-class	
american_implied_volatility	
blackscholes	9
black_scholes_on_term_structures	10
CALL	
CallableBond-class	
construct_implicit_grid_structure	13
construct_tridiagonals	14
control_variate_pairs	15
ConvertibleBond-class	15
CouponBond-class	16
coupon_value_at_exercise	17
detail_from_AnnivDates	18
EquityOption-class	
equivalent_bs_vola_to_jump	
equivalent_jump_vola_to_bs	20
EuropeanOption-class	
find_present_value	
fit_to_option_market	24
fit_to_option_market_df	
fit_variance_cumulation	27
form_present_value_grid	29
GridPricedInstrument-class	30
implied_jump_process_volatility	
implied_volatilities	
implied_volatilities_with_rates_struct	
implied_volatility	
implied_volatility_with_term_struct	
infer_conforming_time_grid	
integrate_pde	
is.blank	
iterate_grid_from_timestep	
penalty_with_intensity_link	
price_with_intensity_link	
PUT	46
Quandl_df_fcn_UST	47
Quandl_df_fcn_UST_raw	47
ragtop	48
shift_for_dividends	50
spot_to_df_fcn	51
take_implicit_timestep	
timestep_instruments	53
time_adj_dividends	

acce	lerated	coupon	value

59

TIME_RESOLUTION_FA	CTOR												
TIME_RESOLUTION_SIG	SNIF_DI	IGITS	.						 				
TSLAMarket													
value_from_prior_coupons													
variance_cumulation_from_	_vols .												
ZeroCouponBond-class													

accelerated_coupon_value

Present value of coupons according to an acceleration schedule

Description

Index

Compute "present" value as of time t for coupons that would otherwise have been paid up to time acceleration_t, in the case of accelerated coupon provisions for forced conversions (or sometimes even unforced ones).

Usage

```
accelerated_coupon_value(
   t,
   coupons_df,
   discount_factor_fcn,
   acceleration_t = Inf
)
```

Arguments

t The time toward which all coupons should be present valued

coupons_df A data.frame of details for each coupon. It should have the columns payment_time and payment_size.

discount_factor_fcn

A function specifying how the contract says future coupons should be discounted for this instrument in case the acceleration clause is triggered

acceleration_t Time limit, up to which coupons will be accelerated

See Also

```
Other Bond Coupons: coupon_value_at_exercise(), value_from_prior_coupons()
Other Bond Coupon Acceleration: coupon_value_at_exercise()
```

adjust_for_dividends

adjust_for_dividends Find the sum of time-adjusted dividend values and adjust grid prices according to their size in the given interval

Description

Analyze dividends to find ones paid in the interval (t,t+dt]. Form present value as of time t for them, and then use spline interpolation to adjust instrument values accordingly.

Usage

```
adjust_for_dividends(grid_values, t, dt, r, h, S, S0, dividends)
```

Arguments

grid_values	A matrix with one row for each level of S and one column per set of S-associated instrument values $$
t	Time after this timestep has been taken
dt	Interval to end of timestep
r	risk-free interest rate
h	Default intensities
S	Underlying equity values for the grid
S0	Time zero price of the base equity
dividends	A data.frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional * S / S0

Value

An object like grid_values with entries modified according to the dividends

See Also

```
Other Dividends: shift_for_dividends(), time_adj_dividends()
```

american 5

american

Price one or more american-exercise options

Description

Use a control-variate scheme to simultaneously estimate the present values of a collection of one or more American-exercise options under a default model with survival probabilities not linked to equity prices.

Usage

```
american(
  callput,
  S0,
 Κ,
  time,
  const_short_rate = 0,
  const_default_intensity = 0,
 discount_factor_fcn = function(T, t, ...) { exp(-const_short_rate * (T - t)) },
 survival_probability_fcn = function(T, t, ...) {
                                                     exp(-const_default_intensity * (T
    - t)) },
 default_intensity_fcn = function(t, S, ...) {     const_default_intensity + 0 * S },
 num_time_steps = 100,
  structure_constant = 2,
  std_devs_width = 5
)
```

Arguments

```
callput 1 for calls, -1 for puts (may be a vector of the same)

80 initial underlying price

K strike (may be a vector)

time Time from 0 until expiration (may be a vector)

const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn
is not given

const_default_intensity

A constant to use for the instantaneous default intensity in case default_intensity_fcn
is not given

discount_factor_fcn
```

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

6 american

survival_probability_fcn

(Implied argument) A function for probability of survival, with arguments T, t and T>t. E.g. with a constant volatility s this takes the form $(T-t)s^2$. Should be matched to default_intensity_fcn

default_intensity_fcn

A function for computing default intensity occurring at a given time, dependent on time and stock price, with arguments t, S. Should be matched to survival_probability_fcn

... Further arguments passed on to find_present_value

num_time_steps Number of steps to use in the grid solver. Can usually be set quite low due to the control variate scheme.

structure_constant

The maximum ratio between time intervals dt and the square of space intervals dz^2

std_devs_width The number of standard deviations, in sigma * sqrt(T) units, to incorporate into the grid

Details

The scheme uses find_present_value() to price the options and their European-exercise equivalents. It then compares the latter to black-scholes formula output and uses the results as an error correction on the prices of the American-exercise options.

Value

A vector of estimated option present values

See Also

Other Equity Independent Default Intensity: american_implied_volatility(), black_scholes_on_term_structures() blackscholes(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_volatilities_with_implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()

Other American Exercise Equity Options: american_implied_volatility(), control_variate_pairs()

Examples

AmericanOption-class 7

 $\begin{tabular}{ll} A \textit{ standard option contract allowing for early exercise at the choice of}\\ \textit{the option holder} \end{tabular}$

Description

A standard option contract allowing for early exercise at the choice of the option holder

Methods

optionality_fcn(v, ...) Return a version of v at time t corrected for any optionality conditions. recovery_fcn(v, S, t, ...) Return recovery value, given non-default values v at time t. Subclasses may be more elaborate, this method simply returns 0.0.

```
american_implied_volatility
```

Implied volatility of an american option with equity-independent term structures

Description

Use the grid solver to generate american option values under a default model with survival probabilities not linked to equity prices. and run them through a bisective root search method until a constant volatility matching the provided option price has been found.

Usage

```
american_implied_volatility(
  option_price,
  callput,
  S0,
 Κ,
  time,
 const_default_intensity = 0,
 survival_probability_fcn = function(T, t, ...) {
                                                     exp(-const_default_intensity * (T
    - t)) },
 default_intensity_fcn = function(t, S, ...) {     const_default_intensity + 0 * S },
  . . . ,
  num_time_steps = 30,
  structure_constant = 2,
  std_devs_width = 5,
  relative_tolerance = 1e-04,
 max.iter = 100,
 max_vola = 4
)
```

Arguments

option_price Option price to match callput 1 for calls, -1 for puts

S0 An initial stock price, for setting grid scale

K strike

time Time from 0 until expiration

const_default_intensity

A constant to use for the instantaneous default intensity in case default_intensity_fcn

is not given

survival_probability_fcn

(Implied argument) A function for probability of survival, with arguments T, t

and T>t.

 $default_intensity_fcn$

A function for computing default intensity occurring at a given time, dependent

on time and stock price, with arguments t, S. Should be matched to survival_probability_fcn

... Additional arguments to be passed on to implied_volatility_with_term_struct

and american

num_time_steps Minimum number of time steps in the grid

structure_constant

The maximum ratio between time intervals dt and the square of space intervals

dz^2

std_devs_width The number of standard deviations, in sigma * sqrt(T) units, to incorporate

into the grid

relative_tolerance

Relative tolerance in instrument price defining the root-finder halting condition

max.iter Maximum number of root-finder iterations allowed

max_vola Maximum volatility to try

Value

Estimated volatility

See Also

```
implied_volatility_with_term_struct for implied volatility of European options under the
same conditions, american for the underlying pricing algorithm
```

```
Other Implied Volatilities: equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), fit_variance_cumulation(), implied_jump_process_volatility(), implied_volatilities_with_rates_struct(implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()
```

```
Other Equity Independent Default Intensity: american(), black_scholes_on_term_structures(), blackscholes(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_volatilities_with_implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()
```

Other American Exercise Equity Options: american(), control_variate_pairs()

blackscholes 9

Examples

```
american_implied_volatility(25,CALL,S0=100,K=100,time=2.2,
   const_short_rate=0.03, num_time_steps=5)

df250 = function(t) ( exp(-0.02*t)*exp(-0.03*max(0,t-1.0))) # Simple term structure

df25 = function(T,t){df250(T)/df250(t)} # Relative discount factors

american_implied_volatility(25,-1,100,100,2.2,
   discount_factor_fcn=df25, num_time_steps=5)
```

blackscholes

Vectorized Black-Scholes pricing of european-exercise options

Description

Price options according to the famous Black-Scholes formula, with the optional addition of a jump-to-default intensity and discrete dividends.

Usage

```
blackscholes(
  callput,
  S0,
  K,
  r,
  time,
  vola,
  default_intensity = 0,
  divrate = 0,
  borrow_cost = 0,
  dividends = NULL
)
```

Arguments

callput 1 for calls, -1 for puts
S0 initial underlying price

K strike

risk-free interest rate

time Time from 0 until expiration

vola Default-free volatility of the underlying

default_intensity

hazard rate of underlying default

divrate A continuous rate for dividends and other cashflows such as foreign interest rates

borrow_cost A continuous rate for stock borrow costs

dividends A data. frame with columns time, fixed, and proportional. Dividend size at

the given time is then expected to be equal to fixed + proportional * S / S0. Fixed dividends will be converted to proportional for purposes of this algorithm.

Details

Note that if the default_intensity is set larger than zero then put-call parity still holds. Greeks are reduced according to cumulated default probability.

All inputs must either be scalars or have the same nonscalar shape.

Value

```
A list with elements

Price The present value(s)

Delta Sensitivity to underlying price

Vega Sensitivity to volatility
```

See Also

```
Other European Options: black_scholes_on_term_structures(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility()

Other Equity Independent Default Intensity: american_implied_volatility(), american(), black_scholes_on_term_structures(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility_with_term_struct implied_volatility()
```

Examples

```
blackscholes(callput=-1, S0=100, K=90, r=0.03, time=1, # -1 is a PUT vola=0.5, default_intensity=0.07)
```

```
black_scholes_on_term_structures
```

Black-Scholes pricing of european-exercise options with term structure arguments

Description

Price an option according to the famous Black-Scholes formula, with the optional addition of a jump-to-default intensity and discrete dividends. Volatility and rates may be provided as constants or as 2+ parameter functions with first argument T corresponding to maturity and second argument t corresponding to model date.

Usage

```
black_scholes_on_term_structures(
  callput,
  S0,
  K,
  time,
```

```
const_volatility = 0.5,
const_short_rate = 0,
const_default_intensity = 0,
discount_factor_fcn = function(T, t, ...) {    exp(-const_short_rate * (T - t)) },
survival_probability_fcn = function(T, t, ...) {        exp(-const_default_intensity * (T - t)) },
variance_cumulation_fcn = function(T, t) {        const_volatility^2 * (T - t) },
dividends = NULL,
borrow_cost = 0,
dividend_rate = 0
)
```

Arguments

callput 1 for calls, -1 for puts
S0 initial underlying price

K strike

time Time from 0 until expiration

const_volatility

A constant to use for volatility in case variance_cumulation_fcn is not given

const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn is not given

const_default_intensity

A constant to use for the instantaneous default intensity in case default_intensity_fcn is not given

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

survival_probability_fcn

A function for probability of survival, with arguments T, t and T>t. E.g. with a constant volatility s this takes the form $(T-t)s^2$.

variance_cumulation_fcn

A function for computing total stock variance occurring during this timestep, with arguments T, t. E.g. with a constant volatility s this takes the form $(T-t)s^2$.

dividends

A data.frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional * S / S0. Fixed dividends will be converted to proportional for purposes of this algorithm.

borrow_cost A continuous rate for stock borrow costs

dividend_rate A continuous rate for dividends and other cashflows such as foreign interest rates

Details

Any term structures will be converted to equivalent constant arguments by calling them with the arguments (time, \emptyset).

12 CallableBond-class

See Also

```
Other European Options: blackscholes(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()

Other Equity Independent Default Intensity: american implied_volatility() american()
```

Other Equity Independent Default Intensity: american_implied_volatility(), american(), blackscholes(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_volatilities_with_implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()

Examples

CALL

Constant CALL for defining option contracts

Description

Constant CALL for defining option contracts

Usage

CALL

Format

An object of class numeric of length 1.

CallableBond-class

Callable (and putable) corporate or government bond.

Description

When a bond is emphcallable, the issuer may choose to pay the call price to the bond holder and end the life of the contract.

Details

When a bond is emphputable, the bond holder may choose to force the issuer pay the put price to the bond holder thus ending the life of the contract.

Fields

calls A data.frame of details for each call. It should have the columns call_price and effective_time. puts A data.frame of details for each put. It should have the columns put_price and effective_time.

Methods

critical_times() Important times in the life of this instrument for simulation and grid solvers

```
construct_implicit_grid_structure

Structure of implicit numerical integration grid
```

Description

Infer a reasonable structure for our implicit grid solver based on the voltime, structure constant, and requested grid width in standard deviations.

Usage

```
construct_implicit_grid_structure(
  tenors,
  M,
  S0,
  K,
  c,
  sigma,
  structure_constant,
  std_devs_width,
  min_z_width = 0
)
```

Arguments

tenors	Tenors of instruments to be treated on this grid
М	Minimum number of timesteps on this grid
SØ	An initial stock price, for setting grid scale
K	An instrument reference stock price, for setting grid scale
С	A continuous stock drift rate
sigma	Volatility of diffusion process (without jumps to default)
structure_const	ant
	The maximum ratio between time intervals dt and the square of space intervals dz^2
std_devs_width	The number of standard deviations, in $sigma * sqrt(T)$ units, to incorporate into the grid
min_z_width	Minimum grid width, in log space

Details

Generally speaking pricing will be good to about 10bp of relative accuracy when the ratio of timesteps to voltime (in annualized units) is over 200.

Cases with pathologically low volatility may go awry (in the sense of yielding ultimately inaccurate PDE solutions), as the structure_constant will force a step in z space much bigger than the width in standard deviations.

Value

A list with elements

- T The maximum time for this grid
- dt Largest permissible timestep size
- dz Distance between space grid points
- z0 Center of space grid
- z_width Width in z space

half_N A misnomer, actually (N-1)/2

- N The number of space points
- z Locations of space points

See Also

Other Implicit Grid Solver: find_present_value(), form_present_value_grid(), infer_conforming_time_grid(), integrate_pde(), iterate_grid_from_timestep(), take_implicit_timestep(), timestep_instruments()

```
construct_tridiagonals
```

Matrix entries for implicit numerical differentiation using Neumann boundary conditions

Description

Matrix entries for implicit numerical differentiation using Neumann boundary conditions

Usage

```
construct_tridiagonals(sigma, structure_constant, drift)
```

Arguments

sigma Volatility of diffusion process (without jumps to default) structure_constant

The ratio between time interval dt and the square of space interval dz^2

drift Vector of drift rate of underlying equity grid points, including induced drift from default intensity

control_variate_pairs 15

Value

A list with elements super, diag and sub containing the superdiagonal, diagonal and subdiagonal of the implicit timestep differencing matrix

control_variate_pairs Form instrument objects for vanilla options

Description

Form a list twice as long as the longest of the arguments callput, K, time whose first half consists of AmericanOption objects and second half consists of EuropeanOption objects having the same exercise specification

Usage

```
control_variate_pairs(callput, K, time)
```

Arguments

callput 1 for calls, -1 for puts

K strike

time Time from 0 until expiration

See Also

Other American Exercise Equity Options: american_implied_volatility(), american()

ConvertibleBond-class Convertible bond with exercise into stock

Description

Convertible bond with exercise into stock

Fields

conversion_ratio The number of shares, per bond, that result from exercise dividend_ceiling The level of dividend protection (if any) specified in terms and conditions

16 CouponBond-class

Methods

exercise_decision(v, S, t, discount_factor_fctn = discount_factor_fcn, ...) Find indexes where hold value v will be inferior to conversion value at each stock price level in S, adjusted to include all past coupons

optionality_fcn(v, S, t, discount_factor_fctn = discount_factor_fcn, ...) Return the greater of hold value v or exercise value at each stock price level in S. If the given date is beyond maturity, return value at maturity.

terminal_values(v, ...) Return a terminal value. defaults to simply calling optionality_fcn.

update_cashflows(small_t, big_t, discount_factor_fctn = discount_factor_fcn, include_notional = TRUE, . Update last_computed_cash and return cashflow information for the given time period, valued at big_t

CouponBond-class

Standard corporate or government bond

Description

A coupon bond is treated here as the entire collection of cashflows. In particular, coupons are included in the package even after they have been paid, accruing at the risk-free rate.

Fields

coupons A data.frame of details for each coupon. It should have the columns payment_time and payment_size.

Methods

critical_times() Important times in the life of this instrument for simulation and grid solvers

optionality_fcn(v, S, t, ...) Return the notional value in the shape of S at any time on or after maturity, otherwise just return v

total_coupon_values_between(small_t, big_t, discount_factor_fctn = discount_factor_fcn)

Compute the sum (as of big_t) of present values of coupons paid between small_t and big_t

```
coupon_value_at_exercise
```

Present value of coupons according to an acceleration schedule

Description

Compute "present" value as of time t for coupons that would otherwise have been paid up to time acceleration_t, in the case of accelerated coupon provisions for forced conversions (or sometimes even unforced ones).

Usage

```
coupon_value_at_exercise(
    t,
    coupons_df,
    discount_factor_fcn,
    model_t = 0,
    accelerate_future_coupons = FALSE,
    acceleration_discount_factor_fcn = discount_factor_fcn,
    acceleration_t = Inf
)
```

Arguments

t The time toward which all coupons should be present valued

coupons_df A data.frame of details for each coupon. It should have the columns payment_time and payment_size.

discount_factor_fcn

A function specifying how future cashflows should generally be discounted for this instrument

model_t Model timestamp passed to value_from_prior_coupons

accelerate_future_coupons

If TRUE, future coupons will be accelerated on exercise to pad present value

acceleration_discount_factor_fcn

A function specifying how future coupons should be discounted for this instrument under coupon acceleration conditions

acceleration_t The maximum time up to which future coupons will be counted for acceleration, passed on to accelerated_coupon_value

Value

A scalar equal to the present value

See Also

```
Other Bond Coupons: accelerated_coupon_value(), value_from_prior_coupons()
Other Bond Coupon Acceleration: accelerated_coupon_value()
```

```
detail_from_AnnivDates
```

Convert output of BondValuation::AnnivDates to inputd for Bond

Description

The BondValuation package provides day count convention treatments superior to quantmod or any other R package known (as of May 2019). This function takes output from BondValuation::AnnivDates(...) and parses it into notionals, maturity time, and coupon times and sizes.

Usage

```
detail_from_AnnivDates(
   anvdates,
   as_of = Sys.time(),
   normalization_factor = 365.25
)
```

Arguments

anvdates Output of BondValuation::AnnivDates(), which must have included a 'Coup'

argument so that the resulting list contains an entry for 'PaySched'

as_of Date or time from whose perspective times should be computed

normalization_factor

Factor by which raw R time differences should be multiplied. If volatilites are

going to be annualized, then this should typically be 365 or so.

Details

Note: volatilities used in 'ragtop' must have compatible time units to these times.

Value

A list with some of the arguments appropriate for defining a Bond as follows: maturity - maturity notional - notional amount coupons - 'data.frame' with 'payment_time', 'payment_size'

EquityOption-class 19

EquityOption-class

An option contract with call or put terms

Description

An option contract with call or put terms

Fields

```
strike A decision price for the contract callput Either 1 for a call or -1 for a put
```

```
equivalent_bs_vola_to_jump
```

Find straight Black-Scholes volatility equivalent to jump process with a given default risk

Description

Find Black-Scholes volatility based on known interest rates and hazard rates, using an at-the-money put option at the given tenor to set the standard price.

Usage

```
equivalent_bs_vola_to_jump(
   jump_process_vola,
   time,
   const_short_rate = 0,
   const_default_intensity = 0,
   discount_factor_fcn = function(T, t, ...) {      exp(-const_short_rate * (T - t)) },
   survival_probability_fcn = function(T, t, ...) {      exp(-const_default_intensity * (T - t)) },
   dividends = NULL,
   borrow_cost = 0,
   dividend_rate = 0,
   relative_tolerance = 1e-06,
   max.iter = 100
)
```

Arguments

```
jump_process_vola
```

Volatility of default-free process

time

Time to expiration of associated option contracts

const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn is not given

const_default_intensity

A constant to use for the instantaneous default intensity in case survival_probability_fcn is not given

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

survival_probability_fcn

(Implied argument) A function for probability of survival, with arguments $\mathsf{T},\,\mathsf{t}$

and T>t.

dividends A data. frame with columns time, fixed, and proportional. Dividend size at

the given time is then expected to be equal to fixed + proportional \star S / S0. Fixed dividends will be converted to proportional for purposes of this algorithm.

borrow_cost A continuous rate for stock borrow costs

dividend_rate A continuous accumulation rate for the stock, affecting the drift

relative_tolerance

Relative tolerance in instrument price defining the root-finder halting condition

max.iter Maximum number of root-finder iterations allowed

Value

A scalar defaultable volatility of an option

See Also

```
Other Implied Volatilities: american_implied_volatility(), equivalent_jump_vola_to_bs(), fit_variance_cumulation(), implied_jump_process_volatility(), implied_volatilities_with_rates_struct( implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()

Other Equity Independent Default Intensity: american_implied_volatility(), american(), black_scholes_on_term_structures(), blackscholes(), equivalent_jump_vola_to_bs(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility_with_term_struct implied_volatility()
```

```
equivalent_jump_vola_to_bs
```

Find jump process volatility with a given default risk from a straight Black-Scholes volatility

Description

Find default-free volatility (i.e. volatility of a Wiener process with a companion jump process to default) based on known interest rates and hazard rates, using and at-the-money put option at the given tenor to set the standard price.

Usage

```
equivalent_jump_vola_to_bs(
   bs_vola,
   time,
   const_short_rate = 0,
   const_default_intensity = 0,
   discount_factor_fcn = function(T, t, ...) {      exp(-const_short_rate * (T - t)) },
   survival_probability_fcn = function(T, t, ...) {      exp(-const_default_intensity * (T - t)) },
   dividends = NULL,
   borrow_cost = 0,
   dividend_rate = 0,
   relative_tolerance = 1e-06,
   max.iter = 100
)
```

Arguments

bs_vola BlackScholes volatility of an option with no default assumption

time Time to expiration of associated option contracts

const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn is not given

const_default_intensity

A constant to use for the instantaneous default intensity in case survival_probability_fcn is not given

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

survival_probability_fcn

(Implied argument) A function for probability of survival, with arguments T, t and T > t.

dividends

A data.frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional * S /

S0

borrow_cost Stock borrow cost, affecting the drift rate

dividend_rate A continuous accumulation rate for the stock, affecting the drift relative_tolerance

Relative tolerance in instrument price defining the root-finder halting condition

max.iter Maximum number of root-finder iterations allowed

Value

A scalar volatility

22 find_present_value

See Also

```
Other Implied Volatilities: american_implied_volatility(), equivalent_bs_vola_to_jump(), fit_variance_cumulation(), implied_jump_process_volatility(), implied_volatilities_with_rates_struct( implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()

Other Equity Independent Default Intensity: american_implied_volatility(), american(), black_scholes_on_term_structures(), blackscholes(), equivalent_bs_vola_to_jump(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility_with_term_struct implied_volatility()
```

EuropeanOption-class A standard option contract

Description

At maturity, the call option holder will "exercise", i.e. choose stock, with value S, if the stock price is above the strike K, paying K to the option issuer, realizing value S-K. The put option holder will exercise, receiving K while surrendering stock worth S, if the stock price is below K.

Details

Therefore the value at maturity is equal to max(0, callput*(S-K))

Methods

```
optionality_fcn(v, ...) Return a version of v at time t corrected for any optionality conditions. recovery_fcn(v, S, t, ...) Return recovery value, given non-default values v at time t. Subclasses may be more elaborate, this method simply returns 0.0.
```

find_present_value

Use a model to estimate the present value of financial derivatives

Description

Use a finite difference scheme to form estimates of present values for a variety of stock prices. Once the grid has been created, interpolate to obtain the value of each instrument at the present stock price S0

find_present_value 23

Usage

```
find_present_value(
  S0,
  num_time_steps,
  instruments,
  const_volatility = 0.5,
  const_short_rate = 0,
  const_default_intensity = 0,
  override_Tmax = NA,
 discount_factor_fcn = function(T, t, ...) { exp(-const_short_rate * (T - t)) },
 default_intensity_fcn = function(t, S, ...) {
                                                const_default_intensity + 0 * S },
 variance_cumulation_fcn = function(T, t) {
                                                 const_volatility^2 * (T - t) },
 dividends = NULL,
  borrow_cost = 0,
  dividend_rate = 0,
  structure_constant = 2,
  std_devs_width = 3
)
```

Arguments

S0 An initial stock price, for setting grid scale

num_time_steps Minimum number of time steps in the grid

instruments A list of instruments to be priced. Each one must have a strike and a optionality_fcn,

as with GridPricedInstrument and its subclasses.

const_volatility

A constant to use for volatility in case variance_cumulation_fcn is not given

const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn

is not given

const_default_intensity

A constant to use for the instantaneous default intensity in case default_intensity_fcn is not given

override_Tmax A different maximum time on the grid to enforce

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

default_intensity_fcn

A function for computing default intensity occurring during this timestep, dependent on time and stock price, with arguments t, S.

variance_cumulation_fcn

A function for computing total stock variance occurring during this timestep, with arguments T, t. E.g. with a constant volatility s this takes the form $(T-t)s^2$.

dividends

A data.frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional \star S / S0

24 fit_to_option_market

```
borrow_cost Stock borrow cost, affecting the drift rate

dividend_rate Continuous dividend rate, affecting the drift rate

structure_constant

The maximum ratio between time intervals dt and the square of space intervals

dz^2

std_devs_width The number of standard deviations, in sigma * sqrt(T) units, to incorporate
into the grid
```

Value

A list of present values, with the same names as instruments

See Also

```
Other Equity Dependent Default Intensity: fit_to_option_market_df(), fit_variance_cumulation(), form_present_value_grid(), implied_jump_process_volatility()

Other Implicit Grid Solver: construct_implicit_grid_structure(), form_present_value_grid(), infer_conforming_time_grid(), integrate_pde(), iterate_grid_from_timestep(), take_implicit_timestep(), timestep_instruments()
```

fit_to_option_market Calibrate volatilities and equity-linked default intensity

Description

Given derivative instruments (subclasses of GridPricedInstrument, though typically either AmericanOption or EuropeanOption objects), along with their prices and spreads, calibrate variance cumulation (the at-the-money volatility of the continuous process) and equity linked default intensity of the form $h(s + (1-s)(SO/S_t)^p)$.

Usage

```
fit_to_option_market(
   variance_instruments,
   variance_instrument_prices,
   variance_instrument_spreads,
   fit_instruments,
   fit_instrument_prices,
   fit_instrument_spreads,
   fit_instrument_weights,
   S0,
   num_time_steps = 30,
   const_short_rate = 0,
   discount_factor_fcn = function(T, t) {      exp(-const_short_rate * (T - t)) },
   ...,
   base_default_intensity = 0.05,
```

fit_to_option_market 25

```
relative_spread_tolerance = 0.15,
num_variance_time_steps = 30
)
```

Arguments

variance_instruments

A list of instruments in strictly increasing order of maturity, from which the volatility term structure will be inferred. Once the calibration is finished, the chosen parameters will reproduce the prices of these instruments with fairly high precision.

variance_instrument_prices

Central price targets for the variance instruments

variance_instrument_spreads

Bid-offer spreads used to normalize errors in variance instrument prices during term structure fitting

fit_instruments

A list of instruments in any order, from which the mispricing penalties used for judging fit quality will be computed

fit_instrument_prices

Central price targets for the variance instruments

fit_instrument_spreads

Bid-offer spreads used to normalize errors in fit instrument prices during default intensity

fit_instrument_weights

Weights applied to relative errors in fit instrument prices before summing to form the penalty

S0 Current underlying price

num_time_steps Time step count passed on to find_present_value while fitting instrument values

const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn is not given

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

... Further arguments passed to penalty_with_intensity_link

base_default_intensity

Overall default intensity (in natural units)

relative_spread_tolerance

Tolerance to apply in calling fit_variance_cumulation

num_variance_time_steps

Number of time steps to use in calling fit_variance_cumulation

Details

In its present form, this function uses a brain-dead grid search.

See Also

penalty_with_intensity_link for the penalty function used as an optimization target

```
fit_to_option_market_df
```

Calibrate volatilities and equity-linked default intensity making many assumptions

Description

This is a convenience function for calibrating variance cumulation (the at-the-money volatility of the continuous process) and equity linked default intensity of the form $h(s + (1-s)(S0/S_t)^p)$, using a data. frame of option market data.

Usage

```
fit_to_option_market_df(
   S0 = ragtop::TSLAMarket$$0,
   discount_factor_fcn = spot_to_df_fcn(ragtop::TSLAMarket$risk_free_rates),
   options_df = ragtop::TSLAMarket$options,
   min_maturity = 1/12,
   min_moneyness = 0.8,
   max_moneyness = 1.2,
   base_default_intensity = 0.05
)
```

Arguments

```
Current underlying price

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

options_df

A data frame of American option details. It should have columns callput, K, time, mid, bid, and ask,

min_maturity

Minimum option maturity to allow in calibration

min_moneyness

Maximum option strike as a proportion of S0 to allow in calibration

base_default_intensity
```

Overall default intensity (in natural units)

See Also

```
fit_to_option_market the underlying fit algorithm
Other Equity Dependent Default Intensity: find_present_value(), fit_variance_cumulation(),
form_present_value_grid(), implied_jump_process_volatility()
```

```
fit_variance_cumulation
```

Fit piecewise constant volatilities to a set of equity options

Description

Given a set of equity options with increasing tenors, along with target prices for those options, and a set of equity-lined default SDE parameters, fit a vector of piecewise constant volatilities and an associated cumulative variance function to them.

Usage

```
fit_variance_cumulation(
  S0,
  eq_options,
 mid_prices,
  spreads = NULL,
  initial_vols_guess = 0.55 + 0 * mid_prices,
  use_impvol = TRUE,
  relative_spread_tolerance = 0.01,
  force_same_grid = FALSE,
  num_time_steps = 40,
  const_short_rate = 0,
  const_default_intensity = 0,
 discount_factor_fcn = function(T, t, ...) { exp(-const_short_rate * (T - t)) },
 survival_probability_fcn = function(T, t, ...) { exp(-const_default_intensity * (T
    - t)) },
 default_intensity_fcn = function(t, S, ...) { const_default_intensity + 0 * S },
 dividends = NULL,
 borrow_cost = 0,
  dividend_rate = 0,
)
```

Arguments

Tolerance multiplier on bid-ask spreads taken from vol normalization

force_same_grid

Price all options on the same grid, rather than having smaller timestep sizes for earlier maturities

num_time_steps Minimum number of time steps in the grid
const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn is not given

const_default_intensity

A constant to use for the instantaneous default intensity in case default_intensity_fcn is not given

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring, with arguments T, t

survival_probability_fcn

A function for probability of survival, with arguments T, t and T>t. E.g. with a constant volatility s this takes the form $(T-t)s^2$. This argument is only used in normalization of prices to vols for root finder tolerance, and is therefore entirely optional

default_intensity_fcn

A function for computing default intensity occurring during this timestep, dependent on time and stock price, with arguments t, S. Should be consistent with survival_probability_fcn if specified

dividends A data.frame with columns time, fixed, and proportional. Dividend size

at the given time is

borrow_cost Stock borrow cost, affecting the drift rate dividend_rate Continuous dividend rate, affecting the drift rate

... Futher arguments to find_present_value

Details

By default, the fitting happens in implied Black-Scholes volatility space for better normalization. That is to say, the fitting does pricing using the *full* SDE and PDE solver via find_present_value, but judges fit quality on the basis of running resulting prices through a nonlinear transformation that just happens to come from the straight Black-Scholes model.

Value

A list with two elements, volatilities and cumulation_function. The cumulation_function will be a 2-parameter function giving cumulated variances, as created by codevariance_cumulation_from_vols

See Also

```
Other Implied Volatilities: american_implied_volatility(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_jump_process_volatility(), implied_volatilities_with_rates_struimplied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()

Other Equity Dependent Default Intensity: find_present_value(), fit_to_option_market_df(), form_present_value_grid(), implied_jump_process_volatility()
```

```
form_present_value_grid
```

Use a model to estimate the present value of financial derivatives on a grid of initial underlying values

Description

Use a finite difference scheme to form estimates of present values for a variety of stock prices on a grid of initial underlying prices, determined by constructing a logarithmic equivalent conforming to the grid parameters structure_constant and structure_constant

Usage

```
form_present_value_grid(
  S0,
  num_time_steps,
  instruments,
  const_volatility = 0.5,
  const_short_rate = 0,
  const_default_intensity = 0,
  override_Tmax = NA,
 discount_factor_fcn = function(T, t, ...) { exp(-const_short_rate * (T - t)) },
 default_intensity_fcn = function(t, S, ...) { const_default_intensity + 0 * S },
                                                 const_volatility^2 * (T - t) },
 variance_cumulation_fcn = function(T, t) {
 dividends = NULL,
 borrow_cost = 0,
  dividend_rate = 0,
  structure_constant = 2,
  std_devs_width = 3,
  grid_center = NA
)
```

Arguments

is not given

override_Tmax A different maximum time on the grid to enforce discount_factor_fcn

> A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

default_intensity_fcn

A function for computing default intensity occurring during this timestep, dependent on time and stock price, with arguments t, S.

variance_cumulation_fcn

A function for computing total stock variance occurring during this timestep, with arguments T, t. E.g. with a constant volatility s this takes the form (T $t)s^2$.

dividends

A data. frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional * S /

borrow cost Stock borrow cost, affecting the drift rate

dividend_rate Continuous dividend rate, affecting the drift rate

structure_constant

The maximum ratio between time intervals dt and the square of space intervals dz^2

std_devs_width The number of standard deviations, in sigma * sqrt(T) units, to incorporate into the grid

grid_center

A reasonable central value for the grid, defaults to S0 or an instrument strike

Details

If any instrument in the instruments has a strike, then the grid will be normalized to the last such instrument's strike.

See Also

```
Other Equity Dependent Default Intensity: find_present_value(), fit_to_option_market_df(),
fit_variance_cumulation(), implied_jump_process_volatility()
Other Implicit Grid Solver: construct_implicit_grid_structure(), find_present_value(),
infer_conforming_time_grid(), integrate_pde(), iterate_grid_from_timestep(), take_implicit_timestep(),
timestep_instruments()
```

GridPricedInstrument-class

Representation of financial instrument amenable to grid pricing schemes

Description

Our basic instrument defines a tenor/maturity, a method to provide values in case of default, and a method to correct instrument prices in light of exercise decisions.

Fields

maturity The tenor, expiration date or terminal date by which the value of this security will be certain.

last_computed_grid The most recently computed set of values from a grid pricing scheme. Used internally for pricing chains of derivatives.

name A mnemonic name for the instrument, not used by ragtop

Methods

```
optionality_fcn(v, ...) Return a version of v at time t corrected for any optionality conditions. recovery_fcn(v, S, t, ...) Return recovery value, given non-default values v at time t. Subclasses may be more elaborate, this method simply returns 0.0. terminal_values(v, ...) Return a terminal value. defaults to simply calling optionality_fcn.
```

Description

Use the grid solver to generate instrument prices via find_present_value and run them through a bisective root search method until a constant volatility matching the provided instrument price has been found.

Usage

```
implied_jump_process_volatility(
  instrument_price,
  instrument,
  ...,
  starting_volatility_estimate = 0.85,
  relative_tolerance = 0.005,
  max.iter = 100,
  max_vola = 4
)
```

Arguments

32 implied_volatilities

relative_tolerance

Relative tolerance in instrument price defining the root-finder halting condition

max.iter Maximum number of root-finder iterations allowed

max_vola Maximum volatility to try

Details

Unlike american_implied_volatility, this routine allows for any legal term structures and equity-linked default intensities. For that reason, it eschews the control variate tricks that make american_implied_volatility so much faster.

Note that equity-linked default intensities can result in instrument prices that are not monotonic in volatility. This bisective root finder will find a solution but not necessarily any particular one.

Value

A list of present values, with the same names as instruments

See Also

find_present_value for the underlying pricing algorithm, implied_volatility_with_term_struct for European options without equity dependence of default intensity, american_implied_volatility for the same on American options

```
Other Implied Volatilities: american_implied_volatility(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), fit_variance_cumulation(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()
```

Other Equity Dependent Default Intensity: find_present_value(), fit_to_option_market_df(), fit_variance_cumulation(), form_present_value_grid()

Examples

```
implied_jump_process_volatility(
   25, AmericanOption(maturity=1.1, strike=100, callput=-1),
   S0=100, num_time_steps=50, relative_tolerance=1.e-3)
```

Description

Find default-free volatilities based on known interest rates and hazard rates, using a given option price.

implied_volatilities 33

Usage

```
implied_volatilities(
  option_price,
  callput,
  S0,
  K,
  r,
  time,
  const_default_intensity = 0,
  divrate = 0,
  borrow_cost = 0,
  dividends = NULL,
  relative_tolerance = 1e-06,
  max_iter = 100,
  max_vola = 4
)
```

Arguments

option_price	Present option values (may be a vector)
callput	1 for calls, -1 for puts (may be a vector)
SØ	initial underlying price (may be a vector)
K	strike (may be a vector)
r	risk-free interest rate (may be a vector)
time	Time from 0 until expiration (may be a vector)
const_default_	intensity
	hazard rate of underlying default (may be a vector)
divrate	A continuous rate for dividends and other cashflows such as foreign interest rates (may be a vector)
borrow_cost	A continuous rate for stock borrow costs (may be a vector)
dividends	A data. frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional \star S / S0. Fixed dividends will be converted to proprtional for purposes of this algorithm.
relative_toler	ance
	Relative tolerance in option price to achieve before halting the search
max.iter	Number of iterations to try before abandoning the search
max_vola	Maximum volatility to try in the search

Value

Scalar volatilities

See Also

```
Other Implied Volatilities: american_implied_volatility(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), fit_variance_cumulation(), implied_jump_process_volatility(), implied_volatilities_with_rates_struct(), implied_volatility_with_term_struct(), implied_volatility()

Other European Options: black_scholes_on_term_structures(), blackscholes(), implied_volatilities_with_rate implied_volatility_with_term_struct(), implied_volatility()

Other Equity Independent Default Intensity: american_implied_volatility(), american(), black_scholes_on_term_structures(), blackscholes(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_volatilities_with_rates_struct(), implied_volatility_with_term_implied_volatility()
```

```
implied_volatilities_with_rates_struct
```

Find the implied volatility of european-exercise options with a term structure of interest rates

Description

Use the provided discount factor function to infer constant short rates applicable to each expiration time, then use the Black-Scholes formula to generate European option values and run them through Newton's method until a constant volatility matching each provided option price has been found.

Usage

```
implied_volatilities_with_rates_struct(
  option_price,
  callput,
  S0,
  K,
  discount_factor_fcn,
  time,
  const_default_intensity = 0,
  divrate = 0,
  borrow_cost = 0,
  dividends = NULL,
  relative_tolerance = 1e-06,
  max_iter = 100,
  max_vola = 4
)
```

Arguments

```
option_price Present option values (may be a vector)

callput 1 for calls, -1 for puts (may be a vector)

S0 initial underlying prices (may be a vector)
```

strikes (may be a vector) discount_factor_fcn A function for computing present values to time t, with arguments T, t Time from 0 until expirations (may be a vector) time const_default_intensity hazard rates of underlying default (may be a vector) divrate A continuous rate for dividends and other cashflows such as foreign interest rates (may be a vector) borrow cost A continuous rate for stock borrow costs (may be a vector) dividends A data. frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional * S / S0. Fixed dividends will be converted to proprtional for purposes of this algorithm. relative_tolerance Relative tolerance in option price to achieve before halting the search

Details

max.iter
max_vola

Differs from implied_volatility_with_term_struct by first computing constant interest rates for each option, and then calling implied_volatilities

Number of iterations to try before abandoning the search

Maximum volatility to try in the search

Value

Scalar volatilities

See Also

```
implied_volatility for simpler cases with constant parameters, implied_volatilities for the
underlying algorithm with constant rates, implied_volatility_with_term_struct when volatil-
ities or survival probabilities also have a nontrivial term structure

Other Implied Volatilities: american_implied_volatility(), equivalent_bs_vola_to_jump(),
equivalent_jump_vola_to_bs(), fit_variance_cumulation(), implied_jump_process_volatility(),
implied_volatilities(), implied_volatility_with_term_struct(), implied_volatility()

Other European Options: black_scholes_on_term_structures(), blackscholes(), implied_volatility()

Other Equity Independent Default Intensity: american_implied_volatility(), american(),
black_scholes_on_term_structures(), blackscholes(), equivalent_bs_vola_to_jump(),
equivalent_jump_vola_to_bs(), implied_volatilities(), implied_volatility_with_term_struct(),
implied_volatility()
```

Examples

```
 \begin{array}{lll} d\_fcn = function(T,t) & \{exp(-0.03*(T-t))\} \\ implied\_volatilities\_with\_rates\_struct(c(23,24,25),\\ & c(-1,1,1), \ 100, \ 100,\\ & discount\_factor\_fcn=d\_fcn, \ time=c(4,4,5)) \end{array}
```

36 implied_volatility

Description

Find default-free volatility (not necessarily just Black-Scholes) based on known interest rates and hazard rates, using a given option price.

Usage

```
implied_volatility(
  option_price,
  callput,
  S0,
  K,
  r,
  time,
  const_default_intensity = 0,
  divrate = 0,
  borrow_cost = 0,
  dividends = NULL,
  relative_tolerance = 1e-06,
  max_iter = 100,
  max_vola = 4
)
```

Arguments

option_price	Present option value
callput	1 for calls, -1 for puts
SØ	initial underlying price
K	strike
r	risk-free interest rate
time	Time from 0 until expiration
const_default_	intensity
	hazard rate of underlying default
divrate	A continuous rate for dividends and other cashflows such as foreign interest rates
borrow_cost	A continuous rate for stock borrow costs
dividends	A data.frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional * S / S0. Fixed dividends will be converted to proportional for purposes of this algorithm.

To handle truly fixed dividends, see implied_jump_process_volatility

relative_tolerance

Relative tolerance in option price to achieve before halting the search

max.iter Number of iterations to try before abandoning the search

max_vola Maximum volatility to try in the search

Details

To get a straight Black-Scholes implied volatility, simply call this function with const_default_intensity set to zero (the default).

Value

A scalar volatility

See Also

```
Other Implied Volatilities: american_implied_volatility(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), fit_variance_cumulation(), implied_jump_process_volatility(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility_with_term_struct

Other Equity Independent Default Intensity: american_implied_volatility(), american(), black_scholes_on_term_structures(), blackscholes(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility_with_term_struct()

Other European Options: black_scholes_on_term_structures(), blackscholes(), implied_volatilities_with_rates_volatilities_with_rates_volatilities_with_rates_volatilities_with_rates_volatilities_with_rates_volatilities_volatilities_with_rates_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatilities_volatili
```

Examples

implied_volatilities(), implied_volatility_with_term_struct()

```
implied_volatility_with_term_struct
```

Find the implied volatility of a european-exercise option with term structures

Description

Use the Black-Scholes formula to generate European option values and run them through Newton's method until a constant volatility matching the provided option price has been found.

Usage

```
implied_volatility_with_term_struct(
  option_price,
  callput,
  S0,
  K,
  time,
  ...,
  starting_volatility_estimate = 0.5,
  relative_tolerance = 1e-06,
  max.iter = 100,
  max_vola = 4
)
```

Arguments

option_price Option price to match
callput 1 for calls, -1 for puts
so initial underlying price

K strike

time Time to expiration

... Further arguments to be passed on to black_scholes_on_term_structures

starting_volatility_estimate

The Newton method's original guess

relative_tolerance

Relative tolerance in instrument price defining the root-finder halting condition

max.iter Maximum number of root-finder iterations allowed

max_vola Maximum volatility to try

Details

Differs from implied_volatility by calling black_scholes_on_term_structures for pricing, thereby allowing term structures of rates, and a nontrivial survival_probability_fcn

Value

Estimated volatility

See Also

```
implied_volatility for simpler cases with constant parameters, black_scholes_on_term_structures
for the underlying pricing algorithm, implied_volatilities_with_rates_struct when neither
volatilities nor survival probabilities have a nontrivial term structure
```

```
Other Implied Volatilities: american_implied_volatility(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), fit_variance_cumulation(), implied_jump_process_volatility(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility()
```

```
Other Equity Independent Default Intensity: american_implied_volatility(), american(), black_scholes_on_term_structures(), blackscholes(), equivalent_bs_vola_to_jump(), equivalent_jump_vola_to_bs(), implied_volatilities_with_rates_struct(), implied_volatilities(), implied_volatility()
```

Other European Options: black_scholes_on_term_structures(), blackscholes(), implied_volatilities_with_ratimplied_volatilities(), implied_volatility()

Examples

infer_conforming_time_grid

A time grid with extra times inserted for coupons, calls and puts

Description

At its base, this function chooses a time grid with 1+min_num_time_steps elements from 0 to Tmax. Any coupon, call, or put times occurring in one of the supplied instruments are also inserted.

Usage

```
infer_conforming_time_grid(min_num_time_steps, Tmax, instruments = NULL)
```

Arguments

min_num_time_steps

The minimum number of timesteps the output vector should have

Tmax The maximum time on the grid

instruments A set of instruments whose maturity and terms and conditions can introduce

extra timesteps. Each will be queried for the output of a critical_times func-

tion.

Value

A vector of times at which the grid should have nodes

40 integrate_pde

See Also

```
Other Implicit Grid Solver: construct_implicit_grid_structure(), find_present_value(), form_present_value_grid(), integrate_pde(), iterate_grid_from_timestep(), take_implicit_timestep(), timestep_instruments()
```

integrate_pde

Numerically integrate the pricing differential equation

Description

Use an implicit integration scheme to numerically integrate the pricing differential equation for each of the given instruments, backwardating from time Tmax to time 0.

Usage

```
integrate_pde(
   z,
   min_num_time_steps,
   S0,
   Tmax,
   instruments,
   stock_level_fcn,
   discount_factor_fcn,
   default_intensity_fcn,
   variance_cumulation_fcn,
   dividends = NULL
)
```

Arguments

z Space grid value morphable to stock prices using stock_level_fcn

min_num_time_steps

The minimum number of timesteps used. Calls, puts and coupons may result in

extra timesteps taken.

S0 Time zero price of the base equity

That The maximum time on the grid, from which all backwardation steps will take

place.

instruments A list of instruments to be priced. Each one must have a strike and a optionality_fcn,

as with GridPricedInstrument and its subclasses.

stock_level_fcn

A function for changing space grid value to stock prices, with arguments z and

τ · fo

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

is.blank 41

default_intensity_fcn

A function for computing default intensity occurring during this timestep, dependent on time and stock price, with arguments t, S.

variance_cumulation_fcn

A function for computing total stock variance occurring during this timestep, with arguments T, t. E.g. with a constant volatility s this takes the form $(T-t)s^2$.

dividends

A data.frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional \star S / S0

Value

A grid of present values of derivative prices, adapted to z at each timestep. Time zero value will appear in the first index.

See Also

Other Implicit Grid Solver: construct_implicit_grid_structure(), find_present_value(), form_present_value_grid(), infer_conforming_time_grid(), iterate_grid_from_timestep(), take_implicit_timestep(), timestep_instruments()

is.blank

Return TRUE if the argument is empty, NULL or NA

Description

Return TRUE if the argument is empty, NULL or NA

Usage

```
is.blank(x, false.triggers = FALSE)
```

Arguments

x Argument to test

false.triggers Whether to allow nonempty vectors of all FALSE to trigger this condition

```
iterate_grid_from_timestep
```

Iterate over a set of timesteps to integrate the pricing differential equation

Description

Timestep an implicit integration scheme to numerically integrate the pricing differential equation for each of the given instruments, backwardating from time Tmax to time 0.

Usage

```
iterate_grid_from_timestep(
    starting_time_step,
    time_pts,
    z,
    S0,
    instruments,
    stock_level_fcn,
    discount_factor_fcn,
    default_intensity_fcn,
    variance_cumulation_fcn,
    dividends = NULL,
    grid = NULL,
    original_grid_values = as.matrix(grid[1 + starting_time_step, , ])
)
```

Arguments

```
starting_time_step
```

The index into time pts of the first timestep to be emplyed. This must be no

larger than the length of time_pts, minus one

time_pts Time nodes to be treated on the grid

z Space grid value morphable to stock prices using stock_level_fcn

S0 Time zero price of the base equity

instruments A list of instruments to be priced. Each one must have a strike and a optionality_fcn,

as with GridPricedInstrument and its subclasses.

stock_level_fcn

A function for changing space grid value to stock prices, with arguments z and

t

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

default_intensity_fcn

A function for computing default intensity occurring during this timestep, dependent on time and stock price, with arguments t, S.

```
variance_cumulation_fcn  
A function for computing total stock variance occurring during this timestep, with arguments T, t. E.g. with a constant volatility s this takes the form (T-t)s^2.  
dividends  
A data.frame with columns time, fixed, and proportional. Dividend size at the given time is then expected to be equal to fixed + proportional * S / S0  
grid  
An optional grid into which results at each timestep will be written. Its size should be at least (1+starting_time_step, length(z), length(instruments)) original_grid_values  
Grid values to timestep from
```

Value

Either a populated grid of present values of derivative prices, or a matrix of values at the first time point, adapted to z at each timestep. Time zero value will appear in the first index of any grid.

See Also

```
Other Implicit Grid Solver: construct_implicit_grid_structure(), find_present_value(), form_present_value_grid(), infer_conforming_time_grid(), integrate_pde(), take_implicit_timestep(), timestep_instruments()
```

```
penalty_with_intensity_link
```

Helper function (volatility-normalized pricing error) for calibration of equity-linked default intensity

Description

Given a set SDE parameters, form a volatility term structure that fairly precisely matches the supplied prices of the variance_instruments. Then use that term structure and the default intensity to price all the fit_instruments, and compare them to the fit_instrument_prices.

Usage

```
penalty_with_intensity_link(
   p,
   s,
   h,
   variance_instruments,
   variance_instrument_prices,
   variance_instrument_spreads,
   fit_instruments,
   fit_instrument_prices,
   fit_instrument_spreads,
   fit_instrument_weights,
```

Arguments

p Power of default intensity

s Proportion of constant default intensity

h Base default intensity

variance_instruments

A list of instruments in strictly increasing order of maturity, from which the volatility term structure will be inferred. Once the calibration is finished, the chosen parameters will reproduce the prices of these instruments with fairly high precision.

variance_instrument_prices

Central price targets for the variance instruments

variance_instrument_spreads

Bid-offer spreads used to normalize errors in variance instrument prices during term structure fitting

fit_instruments

A list of instruments in any order, from which the mispricing penalties used for judging fit quality will be computed

fit_instrument_prices

Central price targets for the variance instruments

fit_instrument_spreads

Bid-offer spreads used to normalize errors in fit instrument prices during default intensity

fit_instrument_weights

Weights applied to relative errors in fit instrument prices before summing to form the penalty

S0 Current underlying price

num_time_steps Time step count passed on to find_present_value while fitting instrument
 values

const_short_rate

A constant to use for the instantaneous interest rate in case discount_factor_fcn is not given

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

... Further arguments passed to price_with_intensity_link

```
price_with_intensity_link
```

Details

Forms implied Black-Scholes volatilities from all supplied mid prices, and their implied bid and offer prices, as well as from the prices computed by the grid solver. Each instrument is then assigned an error term component in proportion to its weight and the pricing error (in implied vol terms) divided by the spread (also in implied vol terms).

See Also

```
price_with_intensity_link for the pricing function
```

Description

Given derivative instruments (subclasses of GridPricedInstrument, though typically either AmericanOption or EuropeanOption objects), along with their prices and spreads, calibrate variance cumulation (the at-the-money volatility of the continuous process) and then price the instruments via equity linked default intensity of the form $h(s + (1-s)(SO/S_t)^p)$.

Usage

```
price_with_intensity_link(
   p,
   s,
   h,
   variance_instruments,
   variance_instrument_prices,
   variance_instrument_spreads,
   fit_instruments,
   S0,
   num_time_steps = 30,
   ...,
   relative_spread_tolerance = 0.15,
   num_variance_time_steps = 30
)
```

46 PUT

Arguments

p Power of default intensity

s Proportion of constant default intensity

h Base default intensity

variance_instruments

A list of instruments in strictly increasing order of maturity, from which the volatility term structure will be inferred. Once the calibration is finished, the chosen parameters will reproduce the prices of these instruments with fairly high precision.

variance_instrument_prices

Central price targets for the variance instruments

variance_instrument_spreads

Bid-offer spreads used to normalize errors in variance instrument prices during term structure fitting

fit_instruments

A list of instruments in any order, from which the mispricing penalties used for judging fit quality will be computed

S0 Current underlying price

num_time_steps Time step count passed on to find_present_value while fitting instrument values

... Further arguments passed to both fit_variance_cumulation and to find_present_value relative_spread_tolerance

Tolerance to apply in calling fit_variance_cumulation

num_variance_time_steps

Number of time steps to use in calling fit_variance_cumulation

PUT

Constant PUT for defining option contracts

Description

Constant PUT for defining option contracts

Usage

PUT

Format

An object of class numeric of length 1.

Quandl_df_fcn_UST 47

Quandl_df_fcn_UST

Get a US Treasury curve discount factor function

Description

This is a caching wrapper for Quandl_df_fcn_UST_raw

Usage

```
Quandl_df_fcn_UST(..., envir = parent.frame())
```

Arguments

... Arguments passed to Quandl_df_fcn_UST_raw
envir Environment passed to Quandl_df_fcn_UST_raw

Value

A function taking two time arguments, which returns the discount factor from the second to the first

```
Quandl_df_fcn_UST_raw Get a US Treasury curve discount factor function
```

Description

Get a US Treasury curve discount factor function

Usage

```
Quandl_df_fcn_UST_raw(on_date)
```

Arguments

on_date

Date for which to query Quandl for the curve

Value

A function taking two time arguments, which returns the discount factor from the second to the first

48 ragtop

ragtop

Pricing schemes for derivatives using equity-linked default intensity

Description

Using numerical integration, we price convertible bonds, straight bonds, equity options and various other derivatives consistently using a jump-diffusion model in which default intensity can vary with equity price in a user-specified deterministic manner.

Details

We apply the stochastic model

$$dS/S = (r+h-q)dt + \sigma dZ - dJ$$

where r and q play their usual roles, h is a deterministic function of stock price and time, and J is a Poisson jump process adapted to the *default intensity* or *hazard rate* h. This model is a *jump-diffusion* extension of Black-Scholes, with the jump process J representing default, compensated by extra drift in the equity at rate h.

Volatilities, default intensities and risk-free rates may all be represented with arbitrary term structures. Default intensity term structures may also take the underlying equity price into account.

Pricing in the standard Black-Scholes model is a special case with default intensity set to zero. Therefore this package *also* serves to price securities in the standard Black-Scholes model, while still allowing risk-free rates and volatilites have nontrivial term structures.

Important Features

- *Black-Scholes*: The standard model is automatically supported as a special case, but also has optimized routines
- *Term Structures*: The package allows for any kind of instrument to be priced with time-varying rates, volatility and default intensity
- *Dividends*: Allows for discrete dividends in an arbitrary combination of fixed and proportional amounts. The difference between fixed and proprtional can be up to 10 percent in implied volatility terms.
- Calibration: Model calibration routines are included
- Bankruptcy Realism: A parsimonious deterministic model of default intensity gives rich behavior and conforms reasonably well to observed market data
- Algorithm Parameters: Default parameters for the algorithm work well for a very wide variety of pricing and implied volatility scenarios

Examples

ragtop 49

```
## With a term structure of volatility
## Not run:
black_scholes_on_term_structures(callput=-1, S0=100, K=90, time=1,
                                 const_short_rate=0.025,
                                 variance_cumulation_fcn = function(T, t) {
                                   0.45 ^2 (T - t) + 0.15^2 * max(0, T-0.25)
## End(Not run)
## Vanilla American exercise
## Not run:
american(PUT, S0=100, K=110, time=0.77, const_short_rate = 0.06,
         const_volatility=0.20, num_time_steps=200)
## End(Not run)
## With a term structure of volatility
## Not run:
american(callput=-1, S0=100, K=90, time=1, const_short_rate=0.025,
         variance_cumulation_fcn = function(T, t) {
             0.45 ^2 (T - t) + 0.15^2 * max(0, T-0.25)
         })
## End(Not run)
## With discrete dividends, combined fixed and proportional
divs = data.frame(time=seq(from=0.11, to=2, by=0.25),
                  fixed=seq(1.5, 1, length.out=8),
                  proportional = seq(1, 1.5, length.out=8))
## Not run:
american(callput=-1, S0=100, K=90, time=1, const_short_rate=0.025,
         const_volatility=0.20, dividends=divs)
## End(Not run)
## American Exercise Implied Volatility
american_implied_volatility(25,CALL,S0=100,K=100,time=2.2, const_short_rate=0.03)
df250 = function(t) (exp(-0.02*t)*exp(-0.03*max(0,t-1.0))) # Simple term structure
df25 = function(T,t){df250(T)/df250(t)} # Relative discount factors
american_implied_volatility(25,-1,100,100,2.2,discount_factor_fcn=df25)
## End(Not run)
## Convertible Bond
## Not Run
pct4 = function(T,t=0) { exp(-0.04*(T-t)) }
cb = ConvertibleBond(conversion_ratio=3.5, maturity=1.5, notional=100,
                     discount_factor_fcn=pct4, name='Convertible')
S0 = 10; p = 6.0; h = 0.10
h_fcn = function(t, S, ...){0.9 * h + 0.1 * h * (S0/S)^p } # Intensity linked to equity price
## Not run:
find_present_value(S0=S0, instruments=list(Convertible=cb), num_time_steps=250,
                   default_intensity_fcn=h_fcn,
```

50 shift_for_dividends

shift_for_dividends

Shift a set of grid values for dividends paid, using spline interpolation

Description

Shift a set of grid values for dividends paid, using spline interpolation

Usage

```
shift_for_dividends(grid_values_before_shift, stock_prices, div_sum)
```

Arguments

Value

An object like grid_values_before_shift with entries shifted according to the dividend sums

See Also

```
Other Dividends: adjust_for_dividends(), time_adj_dividends()
```

spot_to_df_fcn 51

 ${\tt spot_to_df_fcn}$

Create a discount factor function from a yield curve

Description

Use a piecewise constant approximation to the given spot curve to generate a function capable of returning corresponding discount factors

Usage

```
spot_to_df_fcn(yield_curve)
```

Arguments

yield_curve

A data.frame with numeric columns time (in increasing order) and rate (in natural units)

Value

A function taking two time arguments, which returns the discount factor from the second to the first

Examples

```
take_implicit_timestep
```

Backwardate grid values one timestep

Description

Take one timestep of an implicit solver for a given instrument

Usage

```
take_implicit_timestep(
   t,
   S,
   full_discount_factor,
   local_discount_factor,
   discount_factor_fcn,
   prev_grid_values,
   survival_probabilities,
```

```
tridiag_matrix_entries,
instrument = NULL,
dividends = NULL,
instr_name = "this instrument")
```

Arguments

t Time after this timestep has been taken

S Underlying equity values for the grid

full_discount_factor

A discount factor for the transform from grid values to actual derivative prices

local_discount_factor

A discount factor to apply to recovery values

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

prev_grid_values

A vector of space grid values from the previously calculated timestep

survival_probabilities

Vector of probabilities of survival for each space grid node

tridiag_matrix_entries

Diagonal, superdiagonal and subdiagonal of tridiagonal matrix from the numer-

ical integrator

instrument If not NULL/NA, must have a recovery_fcn and an optionality_fcn though

those properties are themselves allowed to be NA.

dividends A data.frame with columns time, fixed, and proportional. Dividend size

at the given time is then expected to be equal to fixed + proportional \star S /

S0

instr_name Name of instrument to use in log messages

Value

Grid values for the instrument after taking the implicit timestep

See Also

```
Other Implicit Grid Solver: construct_implicit_grid_structure(), find_present_value(), form_present_value_grid(), infer_conforming_time_grid(), integrate_pde(), iterate_grid_from_timestep(), timestep_instruments()
```

timestep_instruments 53

Description

Backwardate grid values for all the given instruments from a set of grid values matched to time t+dt to form a new set of grid value as of time t.

Usage

```
timestep_instruments(
   z,
   prev_grid_values,
   t,
   dt,
   S0,
   instruments,
   stock_level_fcn,
   discount_factor_fcn,
   default_intensity_fcn,
   variance_cumulation_fcn,
   dividends = NULL
)
```

Arguments

z Space grid value morphable to stock prices using stock_level_fcn prev_grid_values

A matrix with one column for each instrument and one row for each of the N values of ${\bf z}$

t Time after this timestep has been taken

dt Interval to the end of this timestep

S0 Time zero price of the base equity

stock_level_fcn

A function for changing space grid value to stock prices, with arguments z and t

discount_factor_fcn

A function for computing present values to time t of various cashflows occurring during this timestep, with arguments T, t

default_intensity_fcn

A function for computing default intensity occurring during this timestep, dependent on time and stock price, with arguments t, S.

54 time_adj_dividends

variance_cumulation_fcn

A function for computing total stock variance occurring during this timestep, with arguments T, t. E.g. with a constant volatility s this takes the form (T-

 $t)s^2$.

dividends A data.frame with columns time, fixed, and proportional. Dividend size

at the given time is then expected to be equal to fixed + proportional \star S /

S0

Value

Grid values after applying an implicit timestep

See Also

Other Implicit Grid Solver: construct_implicit_grid_structure(), find_present_value(), form_present_value_grid(), infer_conforming_time_grid(), integrate_pde(), iterate_grid_from_timestep(), take_implicit_timestep()

time_adj_dividends

Find the sum of time-adjusted dividend values

Description

For each of the N elements of S/h find the sum of the given M dividends, discounted to t_final by r and h

Usage

```
time_adj_dividends(relevant_divs, t_final, r, h, S, S0)
```

Arguments

relevant_divs A data.frame with columns time, fixed, and proportional. Dividend size

at the given time is then expected to be equal to fixed + proportional * S /

S0

t_final Time beyond which to ignore dividends

r risk-free interest rate
h Default intensities
S Stock prices

S0 initial underlying price

Value

Sum of dividends, at each grid node

See Also

Other Dividends: adjust_for_dividends(), shift_for_dividends()

TIME_RESOLUTION_FACTOR

Constant to define when times are considered so close to each other that they should be treated as simultaneous

Description

Constant to define when times are considered so close to each other that they should be treated as simultaneous

Usage

TIME_RESOLUTION_FACTOR

Format

An object of class numeric of length 1.

TIME_RESOLUTION_SIGNIF_DIGITS

Constant to define when times are considered so close to each other that they should be treated as simultaneous, in terms of significant digits

Description

Constant to define when times are considered so close to each other that they should be treated as simultaneous, in terms of significant digits

Usage

TIME_RESOLUTION_SIGNIF_DIGITS

Format

An object of class numeric of length 1.

TSLAMarket

Market information snapshot for TSLA options

Description

A dataset containing option contract details and a snapshot of market prices for Tesla Motors (TSLA) equity options, interest rates and an equity price.

Usage

TSLAMarket

Format

An object of class list of length 3.

Details

The TSLAMarket list contains three elements:

- S0: The stock price as of snapshot time
- risk_free_rates: The spot risk-free rate curve as of snapshot time
- options: A data frame with details of the options market

value_from_prior_coupons

Present value of past coupons paid

Description

Present value as of time t for coupons paid since the model_t

Usage

```
value_from_prior_coupons(t, coupons_df, discount_factor_fcn, model_t = 0)
```

Arguments

 $model_t$

t	The time toward which all coupons should be present valued	
coupons_df	A data.frame of details for each coupon. It should have the columns ${\tt payment_time}$	
	and payment_size.	
discount_factor_fcn		
	A function specifying how the contract says future coupons should be discounted for this instrument in case the acceleration clause is triggered	
	for this instrument in case the acceleration clause is triggered	

The payment time beyond which coupons will be included in this computation

See Also

Other Bond Coupons: accelerated_coupon_value(), coupon_value_at_exercise()

```
variance_cumulation_from_vols
```

Create a variance cumulation function from a volatility term structure

Description

Given a volatility term structure, create a corresponding variance cumulation function. The function assumes piecewise constant forward volatility, with the final such forward volatility extending to infinity.

Usage

```
variance_cumulation_from_vols(vols_df)
```

Arguments

vols_df

A data.frame with numeric columns time (in increasing order) and volatility (not decreasing so quickly as to give negative forward variance)

Value

A function taking two time arguments, which returns the cumulated variance from the second to the first

Examples

```
vc = variance_cumulation_from_vols(
  data.frame(time=c(0.1,2,3),
  volatility=c(0.2,0.5,1.2)))
vc(1.5, 0)
```

ZeroCouponBond-class A simple contract paying the notional amount at the maturity

Description

A simple contract paying the notional amount at the maturity

Fields

notional The amount that will be paid at maturity, conditional on survival

recovery_rate The proportion of notional that would be expected to be paid to bond holders after bankruptcy court proceedings

discount_factor_fcn A function specifying how cashflows should generally be discounted for this instrument

Methods

optionality_fcn(v, ...) Return a version of v at time t corrected for any optionality conditions. recovery_fcn(v, S, t, ...) Return recovery value, given non-default values v at time t. Subclasses may be more elaborate, this method simply returns 0.0.

Index

* American Exercise Equity Options	* European Options
american, 5	black_scholes_on_term_structures,
<pre>american_implied_volatility, 7</pre>	10
<pre>control_variate_pairs, 15</pre>	blackscholes, 9
* Black-Scholes	<pre>implied_volatilities, 32</pre>
<pre>fit_variance_cumulation, 27</pre>	<pre>implied_volatilities_with_rates_struct,</pre>
<pre>implied_volatility, 36</pre>	34
* Bond Coupon Acceleration	<pre>implied_volatility, 36</pre>
accelerated_coupon_value, 3	<pre>implied_volatility_with_term_struct,</pre>
<pre>coupon_value_at_exercise, 17</pre>	37
* Bond Coupons	* Implicit Grid Solver
<pre>accelerated_coupon_value, 3</pre>	<pre>construct_implicit_grid_structure,</pre>
<pre>coupon_value_at_exercise, 17</pre>	13
<pre>value_from_prior_coupons, 56</pre>	find_present_value, 22
* Dividends	form_present_value_grid, 29
adjust_for_dividends,4	<pre>infer_conforming_time_grid, 39</pre>
<pre>shift_for_dividends, 50</pre>	$integrate_pde, 40$
time_adj_dividends, 54	$iterate_grid_from_timestep, 42$
* Equity Dependent Default Intensity	<pre>take_implicit_timestep, 51</pre>
<pre>find_present_value, 22</pre>	timestep_instruments, 53
<pre>fit_to_option_market_df, 26</pre>	* Implied Volatilities
<pre>fit_variance_cumulation, 27</pre>	american_implied_volatility, 7
<pre>form_present_value_grid, 29</pre>	<pre>equivalent_bs_vola_to_jump, 19</pre>
<pre>implied_jump_process_volatility,</pre>	equivalent_jump_vola_to_bs, 20
31	<pre>fit_variance_cumulation, 27</pre>
* Equity Independent Default Intensity	<pre>implied_jump_process_volatility,</pre>
american, 5	31
american_implied_volatility, 7	<pre>implied_volatilities, 32</pre>
$\begin{array}{c} {\sf black_scholes_on_term_structures},\\ 10 \end{array}$	<pre>implied_volatilities_with_rates_struct, 34</pre>
blackscholes, 9	<pre>implied_volatility, 36</pre>
equivalent_bs_vola_to_jump, 19	<pre>implied_volatility_with_term_struct,</pre>
equivalent_jump_vola_to_bs, 20	37
<pre>implied_volatilities, 32</pre>	* bond
<pre>implied_volatilities_with_rates_struct,</pre>	CallableBond-class, 12
34	* calibration
<pre>implied_volatility, 36</pre>	american_implied_volatility, 7
<pre>implied_volatility_with_term_struct,</pre>	<pre>fit_variance_cumulation, 27</pre>
37	<pre>implied_jump_process_volatility,</pre>

60 INDEX

31	EquityOption-class, 19
* callable	equivalent_bs_vola_to_jump, 6 , 8 , 10 , 12 ,
CallableBond-class, 12	19, 22, 28, 32, 34, 35, 37–39
* datasets	equivalent_jump_vola_to_bs, 6 , 8 , 10 , 12 ,
CALL, 12	20, 20, 28, 32, 34, 35, 37–39
PUT, 46	EuropeanOption, $24, 45$
TIME_RESOLUTION_FACTOR, 55	EuropeanOption (EuropeanOption-class),
TIME_RESOLUTION_SIGNIF_DIGITS, 55	22
TSLAMarket, 56	EuropeanOption-class, 22
* implied volatility	
american_implied_volatility,7	find_present_value, 6, 14, 22, 25, 26, 28,
fit_variance_cumulation, 27	30–32, 40, 41, 43, 44, 46, 52, 54
<pre>implied_jump_process_volatility,</pre>	<pre>fit_to_option_market, 24, 26</pre>
31	$fit_{to_option_market_df}, 24, 26, 28, 30,$
* putable	32
CallableBond-class, 12	fit_variance_cumulation, 8 , 20 , 22 , 24 – 26 ,
· · · · · · · · · · · · · · · · · · ·	27, 30, 32, 34, 35, 37, 38, 45, 46
accelerated_coupon_value, 3, 17, 18, 57	form_present_value_grid, <i>14</i> , <i>24</i> , <i>26</i> , <i>28</i> ,
adjust_for_dividends, 4, 50, 54	29, 32, 40, 41, 43, 52, 54
american, 5, 8, 10, 12, 15, 20, 22, 34, 35, 37,	
39	GridPricedInstrument, 23, 29, 40, 42
american_implied_volatility, 6, 7, 10, 12,	GridPricedInstrument
15, 20, 22, 28, 32, 34, 35, 37–39	(GridPricedInstrument-class),
AmericanOption, 24, 45	30
AmericanOption (AmericanOption-class), 7	GridPricedInstrument-class, 30
AmericanOption-class, 7	<pre>implied_jump_process_volatility, 8, 20,</pre>
•	22, 24, 26, 28, 30, 31, 34–38
black_scholes_on_term_structures, 6, 8,	implied_volatilities, 6, 8, 10, 12, 20, 22,
10, 10, 20, 22, 34, 35, 37–39	28, 32, 32, 35, 37–39
blackscholes, 6, 8, 9, 12, 20, 22, 34, 35, 37,	<pre>implied_volatilities_with_rates_struct,</pre>
39	6, 8, 10, 12, 20, 22, 28, 32, 34, 34,
	37–39
CALL, 12	implied_volatility, 6, 8, 10, 12, 20, 22, 28,
CallableBond (CallableBond-class), 12	32, 34, 35, 36, 38, 39
CallableBond-class, 12	implied_volatility_with_term_struct, 6,
<pre>construct_implicit_grid_structure, 13,</pre>	8, 10, 12, 20, 22, 28, 32, 34, 35, 37,
24, 30, 40, 41, 43, 52, 54	37
construct_tridiagonals, 14	infer_conforming_time_grid, 14, 24, 30,
control_variate_pairs, 6 , 8 , 15	39, 41, 43, 52, 54
ConvertibleBond	integrate_pde, 14, 24, 30, 40, 40, 43, 52, 54
(ConvertibleBond-class), 15	is.blank, 41
ConvertibleBond-class, 15	iterate_grid_from_timestep, 14, 24, 30,
coupon_value_at_exercise, 3, 17, 57	40, 41, 42, 52, 54
CouponBond (CouponBond-class), 16	70, 71, 72, 32, 37
CouponBond-class, 16	penalty_with_intensity_link, 25, 26, 43
	price_with_intensity_link, 44, 45, 45
detail_from_AnnivDates,18	PUT, 46
	,
EquityOption (EquityOption-class), 19	Quandl_df_fcn_UST, 47

INDEX 61

```
Quandl_df_fcn_UST_raw, 47, 47
ragtop, 48
ragtop-package (ragtop), 48
shift_for_dividends, 4, 50, 54
spot_to_df_fcn, 51
take_implicit_timestep, 14, 24, 30, 40, 41,
        43, 51, 54
time_adj_dividends, 4, 50, 54
TIME_RESOLUTION_FACTOR, 55
TIME_RESOLUTION_SIGNIF_DIGITS, 55
timestep_instruments, 14, 24, 30, 40, 41,
        43, 52, 53
\mathsf{TSLAMarket}, 56
value_from_prior_coupons, 3, 17, 18, 56
variance\_cumulation\_from\_vols, 28, 57
ZeroCouponBond (ZeroCouponBond-class),
ZeroCouponBond-class, 57
```